

SPORTS PHYSICALS GRADES 6, 7, AND 8 ONLY

- Sports physicals include a, cardiac assessment, which are different than annual health physicals. They are good for 365 days from the exam.
- All forms can be found on the school website.
- No student may attend tryouts, practices, or games without proper documentation.
- Parent history forms need to be filled out prior to the doctor visit. Doctors should not complete their forms unless they have the parent forms to review the history.
- Doctors must be certified to complete the cardiac assessment portion. Doctors in NJ are fully aware of this law.
- Parents should review their forms before leaving the doctor's office. We received several forms from doctors that were not signed in all places or they check incorrect boxes. This will delay your child's participation if they are done incorrectly.
- If you think that your child will try out for a sport you must have these forms completed and cleared by the nurse prior to tryouts.
- There are 2 forms to be completed by the doctor.
 - PHYSICAL ASSESSMENT: Needs to include height, weight, BP, vision, examination findings, box checked for cleared or not cleared, signed, dated, and stamped.
 - CLEARANCE FORM: Needs the box checked cleared or not cleared, TWO signatures on the bottom (one for the exam and one for cardiac clearance) dated, and stamped.
- ATHLETIC DIRECTOR
 - Needs to enforce this with parent, players, and coaches. The nurses do not know who will tryout so the athletic director has to supply the names prior to tryouts.
 - Coaches receive and keep concussion, cardiac sudden death, and vision verification forms from parents on ALL students.
- Our main goal is to protect all of our children. If anyone has any questions please call the nurse's office.

PREPARTICIPATION PHYSICAL EVALUATION **HISTORY FORM**

(Note: This form is to be filled out by the patient and parent prior to seeing the physician. The physician should keep a copy of this form in the chart.)

Date of Exam					
Name			Date of birth		
			Sport(s)		
Medicines and Allergies: Please list all of the prescription a	nd over-the-co	unter m	redicines and supplements (herbal and nutritional) that you are currently	taking	
Do you have any allergies?	ase identify spe	ecific all	lergy below. Food Stinging Insects		
Explain "Yes" answers below. Circle questions you don't know	the answers t	0.			
GENERAL QUESTIONS	Yes	No	MEDICAL QUESTIONS	Yes	Ne
 Has a doctor ever denied or restricted your participation in sports any reason? 	for		26. Do you cough, wheeze, or have difficulty breathing during or after exercise?		
 Do you have any ongoing medical conditions? If so, please identify below:			 27. Have you ever used an inhaler or taken asthma medicine? 28. Is there anyone in your family who has asthma? 29. Were you born without or are you missing a kidney, an eye, a testicle 		
3. Have you ever spent the night in the hospital?			(males), your spleen, or any other organ?		
4. Have you ever had surgery?			30. Do you have groin pain or a painful bulge or hernia in the groin area?		
HEART HEALTH QUESTIONS ABOUT YOU	Yes	No	31. Have you had infectious mononucleosis (mono) within the last month?		
5. Have you ever passed out or nearly passed out DURING or			32. Do you have any rashes, pressure sores, or other skin problems?		
AFTER exercise?			33. Have you had a herpes or MRSA skin infection?		
 Have you ever had discomfort, pain, tightness, or pressure in your chest during exercise? 			34. Have you ever had a head injury or concussion?		
7. Does your heart ever race or skip beats (irregular beats) during ex	ercise?		35. Have you ever had a hit or blow to the head that caused confusion, prolonged headache, or memory problems?		
8. Has a doctor ever told you that you have any heart problems? If so	l,		36. Do you have a history of seizure disorder?		
check all that apply:			37. Do you have headaches with exercise?		
High blood pressure High cholesterol A heart murmur A heart infection			38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or failing?		
Kawasaki disease Other: 9. Has a doctor ever ordered a test for your heart? (For example, ECG acheogradiaerram)	/EKG,		39. Have you ever been unable to move your arms or legs after being hit or falling?		
echocardiogram) 10. Do you get lightheaded or feel more short of breath than expected			40. Have you ever become ill while exercising in the heat?		
during exercise?			41. Do you get frequent muscle cramps when exercising?		
11. Have you ever had an unexplained seizure?			42. Do you or someone in your family have sickle cell trait or disease?		
12. Do you get more tired or short of breath more quickly than your fri	ends		43. Have you had any problems with your eyes or vision?		
during exercise? HEART HEALTH QUESTIONS ABOUT YOUR FAMILY	Yes	No	44. Have you had any eye injuries?		
13. Has any family member or relative died of heart problems or had a		FIU	45. Do you wear glasses or contact lenses?		
unexpected or unexplained sudden death before age 50 (including			46. Do you wear protective eyewear, such as goggles or a face shield?		
drowning, unexplained car accident, or sudden infant death syndro			47. Do you worry about your weight?		
 Does anyone in your family have hypertrophic cardiomyopathy, Ma syndrome, arrhythmogenic right ventricular cardiomyopathy, long 	αт		48. Are you trying to or has anyone recommended that you gain or lose weight?		
syndrome, short QT syndrome, Brugada syndrome, or catecholami polymorphic ventricular tachycardia?	nergic		49. Are you on a special diet or do you avoid certain types of foods?		
15. Does anyone in your family have a heart problem, pacemaker, or			50. Have you ever had an eating disorder?		
implanted defibrillator?			51. Do you have any concerns that you would like to discuss with a doctor?		
16. Has anyone in your family had unexplained fainting, unexplained seizures, or near drowning?			FEMALES ONLY 52. Have you ever had a menstrual period?		
BONE AND JOINT QUESTIONS	Yes	No	53. How old were you when you had your first menstrual period?		L
17. Have you ever had an injury to a bone, muscle, ligament, or tendor			54. How many periods have you had in the last 12 months?		
that caused you to miss a practice or a game?			Explain "yes" answers here	L	
18. Have you ever had any broken or fractured bones or dislocated join	nts?				
19. Have you ever had an injury that required x-rays, MRI, CT scan, injections, therapy, a brace, a cast, or crutches?					
20. Have you ever had a stress fracture?					
21. Have you ever been told that you have or have you had an x-ray for instability or atlantoaxial instability? (Down syndrome or dwarfism)					
22. Do you regularly use a brace, orthotics, or other assistive device?					
23. Do you have a bone, muscle, or joint injury that bothers you?					
24. Do any of your joints become painful, swollen, feel warm, or look r	ed?				
25. Do you have any history of juvenile arthritis or connective tissue di	sease?				

I hereby state that, to the best of my knowledge, my answers to the above questions are complete and correct.

Signature of athlete

_____ Signature of parent/guardian _____

_ Date_

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment. HICS03 New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

9-2681/0410

PREPARTICIPATION PHYSICAL EVALUATION THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Exam					
Name			Date of birth		
Sex Age	Grade	School		and Recent of the	
1. Type of disability	Marco C				
2. Date of disability					
3. Classification (if avai	lable)				
4. Cause of disability (b	irth, disease, accident/trauma, other				
5. List the sports you a	re interested in playing				
				Yes	No
6. Do you regularly use	a brace, assistive device, or prosthe	ic?			
7. Do you use any spec	ial brace or assistive device for spor	s?			
8. Do you have any rasi	nes, pressure sores, or any other ski	ı problems?			8
9. Do you have a hearir	ig loss? Do you use a hearing aid?				
10. Do you have a visual	impairment?				
11. Do you use any spec	ial devices for bowel or bladder func	tion?			
12. Do you have burning	or discomfort when urinating?				
13. Have you had autono	mic dysreflexia?				
14. Have you ever been of	diagnosed with a heat-related (hyper	thermia) or cold-related (hypothermia) illness	?		
15. Do you have muscle	spasticity?				
16. Do you have frequent	t seizures that cannot be controlled t	y medication?			
Explain "yes" answers h	ere				

Please indicate if you have ever had any of the following.

	and an interview of the second states of the	Yes	No
Atlantoaxial instability			
X-ray evaluation for atlantoaxial instability			
Dislocated joints (more than one)			
Easy bleeding			
Enlarged spleen			
Hepatitis	1		
Osteopenia or osteoporosis			
Difficulty controlling bowel	 March M. Monten, "Constraint of the second state of t		
Difficulty controlling bladder			
Numbness or tingling in arms or hands			
Numbness or tingling in legs or feet			
Weakness in arms or hands			
Weakness in legs or feet			
Recent change in coordination			
Recent change in ability to walk			
Spina bifida			
Latex allergy			

Explain "yes" answers here

I hereby state that, to the best of my knowledge, my answers to the above questions are complete and correct.

Signature of athlete

Signature of parent/guardian _____

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment. New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

Date

PREPARTICIPATION PHYSICAL EVALUATION PHYSICAL EXAMINATION FORM

Name

PHYSICIAN REMINDERS

1. Consider additional questions on more sensitive issues

- Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious? Do you teel safe at your home or residence? Have you ever tried cigarettes, chewing tobacco, snuff, or dip?

- Have you ever tried cigarettes, chewing tobacco, snuff, or dip?
 During the past 30 days, did you use chewing tobacco, snuff, or dip?
 Do you drink alcohol or use any other drugs?
 Have you ever taken anabolic steroids or used any other performance supplement?
 Have you ever taken any supplements to help you gain or lose weight or improve your performance?
 Do you wear a seat belt, use a helmet, and use condoms?
 Consider reviewing questions on cardiovascular symptoms (questions 5–14).

EXAMIN	ATION	ALC: NO.	Vertine						
Height				Weight		□ Male	□ Female		
BP	1	(1)	Pulse	Vision	R 20/	L 20/	Corrected 🗆 Y 🗆 N
MEDICA	Letan	100	1	2 a.	n 2 ⁰⁰ - John State		NORMAL		ABNORMAL FINDINGS
arm s	n stigmata (kyp pan > height, h	hoscoliosis, yperlaxity, m	high-ar Iyopia, I	rched pa MVP, aor	late, pectus e lic insufficienc	cavatum, arachnodactyly, y)			
PupilsHearing	ig								
Lymph no	odes								
Heart* • Murm • Locati	urs (auscultatio on of point of n	m standing, : naximal impo	supine, Jise (PN	+/- Vals: Al)	alva)				
Pulses • Simult	aneous femora	I and radial	pulses						
Lungs									
Abdomen		C. S.W. THIN							
Genitouri	nary (males onl	y) ^b							
Skin • HSV, le	esions suggesti	ve of MRSA,	tinea c	orporis					
Neurologi	Cc								
MUSCUL	OSKELETAL			in the second	利用的 化合金				
Neck									
Back									
Shoulder/	'arm								
Elbow/for	earm								
Wrist/han	d/fingers								
Hip/thigh									
Knee				8					
Leg/ankle)			90.430.595					
Foot/toes									
 Functional Duck- 	l walk, single leg	l hop							

*Consider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam.
*Consider GU exam if in private setting, Having third party present is recommended.
*Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion.

Cleared for all sports without restriction

Not cleare	eared	
	Pending further evaluation	
	□ For any sports	
	For certain sports	
	Reason	
Recommenda	endations	

arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/guardians). Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)____ _ Date _ Address _ Phone

Signature of physician, APN, PA

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment. HE0503 New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71 9-2681/0410

Date of birth

PREPARTICIPATION PHYSICAL EVALUATION CLEARANCE FORM

Name		Sex 🗆 M 🗆 F Age	Date of birth		
Cleared for	r all sports without restriction				
□ Cleared for	Cleared for all sports without restriction with recommendations for further evaluation or treatment for				
□ Not cleared	d				
	Pending further evaluation				
] For any sports				
] For certain sports				
	Reason				
Recommendat	tions				
EMERGEN	ICY INFORMATION				
,					
Other informa	ation				
) 					
clinical con and can be the physici	nined the above-named student and completed the prepa ntraindications to practice and participate in the sport(s) a made available to the school at the request of the parent ian may rescind the clearance until the problem is resolve ts/guardians).	as outlined above. A copy o ts. If conditions arise after t	f the physical exam is on record in my office he athlete has been cleared for participation,		
Name of phy	version advanced practice purse (APN) physician assistant (PA)		Date		

Name of physician, advanced practice nurse (APN), physician assistant (PA)	Date	
Address	Phone	
Signature of physician, APN, PA		
Completed Cardiac Assessment Professional Development Module		

Date_____ Signature___

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment. New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

State of New Jersey Department of Education

HEALTH HISTORY UPDATE QUESTIONNAIRE

stude	ent	Age_	Grade
ate	of Last Physical Examination Sport		
ince	the last pre-participation physical examination, has your son/daughter:		
	Been medically advised not to participate in a sport? If yes, describe in detail		No
	Sustained a concussion, been unconscious or lost memory from a blow to the he If yes, explain in detail		
	Broken a bone or sprained/strained/dislocated any muscle or joints? If yes, describe in detail	1002-01-02-00-00-02-02-02-02-02-02-02-02-02-02-	_ No
	Fainted or "blacked out?" If yes, was this during or immediately after exercise?		No
	Experienced chest pains, shortness of breath or "racing heart?" If yes, explain		No
6	Has there been a recent history of fatigue and unusual tiredness?	Ves	No
7.	Been hospitalized or had to go to the emergency room? If yes, explain in detail	Yes	No
	Since the last physical examination, has there been a sudden death in the family under age 50 had a heart attack or "heart trouble?"	v or has any 1 Yes	nember of the famil
9.	Started or stopped taking any over-the-counter or prescribed medications? If yes, name of medication(s)	Yes	No

Website Resources

- Sudden Death in Athletes www.cardiachealth.org/sudden-death-inathletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

Collaborating Agencies:

American Academy of Pediatrics New Jersey Chapter

3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619 (p) 609-842-0014 (f) 609-842-0015 www.aapnj.org

American Heart Association

1 Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020 www.heart.org



New Jersey Department of Education

PO Box 500 Trenton, NJ 08625-0500 (p) 609-292-5935 www.state.nj.us/education/



New Jersey Department of Health P. O. Box 360 Trenton, NJ 08625-0360 (p) 609-292-7837

www.state.nj.us/health

Lead Author: American Academy of Pediatrics, New Jersey Chapter

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD

Additional Reviewers: NJ Department of Education, NJ Department of Health and Senior Services, American Heart Association/New Jersey Chapter, NJ Academy of Family Practice, Pediatric Cardiologists, New Jersey State School Nurses

Revised 2014: Christene DeWitt-Parker, MSN, CSN, RN; Lakota Kruse, MD, MPH; Susan Martz, EdM; Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Teichholz, MD; Perry Weinstock, MD

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

The Basic Facts on Sudden Cardiac Death in Young Athletes



STATE OF NEW JERSEY DEPARTMENT OF EDUCATION



Learn and Live

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

S udden death in young athletes between the ages of 10 and 19 is very rare. What, if anything, can be done to prevent this kind of tragedy?

What is sudden cardiac death in the young athlete?

Sudden cardiac death is the result of an unexpected failure of proper heart function, usually (about 60% of the time) during or immediately after exercise without trauma. Since the heart stops pumping adequately, the athlete quickly collapses, loses consciousness, and ultimately dies unless normal heart rhythm is restored using an automated external defibrillator (AED).

How common is sudden death in young athletes?

Sudden cardiac death in young athletes is very rare. About 100 such deaths are reported in the United States per year. The chance of sudden death occurring to any individual high school athlete is about one in 200,000 per year.

Sudden cardiac death is more common: in males than in females; in football and basketball than in other sports; and in African-Americans than in other races and ethnic groups.

What are the most common causes?

Research suggests that the main cause is a loss of proper heart rhythm, causing the heart to quiver instead of pumping blood to the brain and body. This is called ventricular fibrillation (ven-TRICK-you-lar fibroo-LAY-shun). The problem is usually caused by one of several cardiovascular abnormalities and electrical diseases of the heart that go unnoticed in healthy-appearing athletes.

The most common cause of sudden death in an athlete is hypertrophic cardiomyopathy (hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) also called HCM. HCM is a disease of the heart, with abnormal thickening of the heart muscle, which can cause serious heart rhythm problems and blockages to blood flow. This genetic disease runs in families and usually develops gradually over many years.

The second most likely cause is congenital (con-JEN-it-al) (i.e., present from birth) abnormalities of the coronary arteries. This means that these blood vessels are connected to the main blood vessel of the heart in an abnormal way. This differs from blockages that may occur when people get older (commonly called "coronary artery disease," which may lead to a heart attack).

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;

- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath.

What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Annual Athletic Pre-Participation Physical Examination Form.

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death. The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a normal screening evaluation, such as an infection of the heart muscle from a virus. This is why screening evaluations and a review of the family health history need to be performed on a yearly basis by the athlete's primary healthcare provider. With proper screening and evaluation, most cases can be identified and prevented.

Why have an AED on site during sporting events?

The only effective treatment for ventricular fibrillation is immediate use of an automated external defibrillator (AED). An AED can restore the heart back into a normal rhythm. An AED is also life-saving for ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis).

Effective September 1, 2014, the New Jersey Department of Education requires that all public and nonpublic schools grades K through 12 shall:

- Have an AED available at every sports event (three minutes total time to reach and return with the AED);
- Have adequate personnel who are trained in AED use present at practices and games;
- Have coaches and athletic trainers trained in basic life support techniques (CPR); and
- Call 911 immediately while someone is retrieving the AED.



NJSIAA PARENT/GUARDIAN CONCUSSION POLICY ACKNOWLEDGMENT FORM

In order to help protect the student athletes of New Jersey, the NJSIAA has mandated that all athletes, parents/guardians and coaches follow the NJSIAA Concussion Policy.

A concussion is a brain injury and all brain injuries are serious. They may be caused by a bump, blow, or jolt to the head, or by a blow to another part of the body with the force transmitted to the head. They can range from mild to severe and can disrupt the way the brain normally works. Even though most concussions are mild, all concussions are potentially serious and may result in complications including prolonged brain damage and death if not recognized and managed properly. In other words, even a "ding" or a bump on the head can be serious. You can't see a concussion and most sports concussions occur without loss of consciousness. Signs and symptoms of concussion may show up right after the injury or can take hours or days to fully appear. If your child/player reports any symptoms of concussion, or if you notice the symptoms or signs of concussion yourself, seek medical attention right away.

Symptoms may include one or more of the following: Headache. 1.

- 2. Nausea/vomiting. Balance problems or dizziness.
- 3.
- Double vision or changes in vision. 4.
- Sensitivity to light or sound/noise. 5.
- Feeling of sluggishness or fogginess. 6.
- Difficulty with concentration, short-term memory, and/or confusion. 7.
- 8. Irritability or agitation.
- Depression or anxiety. 9
- 10 Sleep disturbance.

Signs observed by teammates, parents and coaches include:

- Appears dazed, stunned, or disoriented. 1.
- Forgets plays or demonstrates short-term memory difficulties (e.g. is unsure of the 2. game, score, or opponent)
- З. Exhibits difficulties with balance or coordination.
- Answers questions slowly or inaccurately. 4.
- 5. Loses consciousness.
- 6. Demonstrates behavior or personality changes.
 - Is unable to recall events prior to or after the hit.

What can happen if my child/player keeps on playing with a concussion or returns too.soon?

Athletes with the signs and symptoms of concussion should be removed from play immediately. Continuing to play with the signs and symptoms of a concussion leaves the young athlete especially vulnerable to greater injury. There is an increased risk of significant damage from a concussion for a period of time after that concussion occurs, particularly if the athlete suffers another concussion before completely recovering from the first one. This can lead to prolonged recovery, or even to severe brain swelling (second impact syndrome) with devastating and even fatal consequences. It is well known that adolescent or teenage athletes will often under report symptoms of injuries. And concussions are no different. As a result, education of administrators, coaches, parents and students is the key for student-athlete's safety.

If you think your child/player has suffered a concussion

Any athlete even suspected of suffering a concussion should be removed from the game or practice immediately. No athlete may return to activity after an apparent head injury or concussion, regardless of how mild it seems or how quickly symptoms clear. Close observation of the athlete should continue for several hours.

An athlete who is suspected of sustaining a concussion or head injury in a practice or game shall be removed from competition at that time and may not return to play until the athlete is evaluated by a medical doctor or doctor of Osteopathy, trained in the evaluation and management of concussion and received written clearance to return to play from that health care provider.

You should also inform you child's Coach, Athletic Trainer (ATC), and/or Athletic Director, if you think that your child/player may have a concussion. And when it doubt, the athlete sits out.

For current and up-to-date information on concussions you can go to:

http://www.cdc.gov/ConcussionInYouthSports/

www.nfhslearn.com

ц 2

SPORTS-RELATED EYE INJURIES:

AN EDUCATIONAL FACT SHEET FOR PARENTS

Participating in sports and recreational activities is an important part of a healthy, physically active lifestyle for children. Unfortunately, injuries can, and do, occur. Children are at particular risk for sustaining a sports-related eye injury and most of these injuries can be prevented. Every year, more than 30,000 children sustain serious sports-related eye injuries. Every 13 minutes, an emergency room in the United States treats a sports-related eye injury.¹ According to the National Eye Institute, the sports with the highest rate of eye injuries are: baseball/softball, ice hockey, racquet sports, and basketball, followed by fencing, lacrosse, paintball and boxing.

Thankfully, there are steps that parents can take to ensure their children's safety on the field, the court, or wherever they play or participate in sports and recreational activities.

Prevention of Sports-Related Eye Injuries

Approximately 90% of sports-related eye injuries can be prevented with simple precautions, such as using protective eyewear.² Each sport has a certain type of recommended protective eyewear, as determined by the American Society for Testing and Materials (ASTM). Protective eyewear should sit comfortably on the face. Poorly fitted equipment may be uncomfortable, and may not offer the best eye protection. Protective eyewear for sports includes, among other things, safety goggles and eye guards, and it should be made of polycarbonate lenses, a strong, shatterproof plastic. Polycarbonate lenses are much stronger than regular lenses.³

Health care providers (HCP), including family physicians, ophthalmologists, optometrists, and others, play a critical role in advising students, parents and guardians about the proper use

of protective eyewear. To find out what kind of eye protection is recommended, and permitted for your child's sport, visit the National Eye Institute at http://www.nei.nih.gov/sports/findingprotection.asp. Prevent Blindness America also offers tips for choosing and buying protective eyewear at http://www.preventblindness.org/tips-buying-sports-eye-protectors, and http://www.preventblindness.org/ recommended-sports-eye-protectors.

It is recommended that all children participating in school sports or recreational sports wear protective eyewear. Parents and coaches need to make sure young athletes protect their eyes, and properly gear up for the game. Protective eyewear should be part of any uniform to help reduce the occurrence of sports-related eye injuries. Since many youth teams do not require eye protection, parents may need to ensure that their children wear safety glasses or goggles whenever they play sports. Parents can set a good example by wearing protective eyewear when they play sports.

- ¹ National Eye Institute, National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.
- ² Rodriguez, Jorge O., D.O., and Lavina, Adrian M., M.D., Prevention and Treatment of Common Eye Injuries in Sports, http://www.aafp.org/afp/2003/0401/p1481.html, September 4, 2014; National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.
- ³ Bedinghaus, Troy, O.D., Sports Eye Injuries, http://vision.about.com/od/emergencyeyecare/a/Sports_Injuries.htm, December 27, 2013.

Most Common Types of Eye Injuries

The most common types of eye injuries that can result from sports injuries are blunt injuries, corneal abrasions and penetrating injuries.

◆ Blunt injuries: Blunt injuries occur when the eye is suddenly compressed by impact from an object. Blunt injuries, often caused by tennis balls, racquets, fists or elbows, sometimes cause a black eye or hyphema (bleeding in front of the eye). More serious blunt injuries often break bones near the eye, and may sometimes seriously damage important eye structures and/or lead to vision loss.

Corneal abrasions: Corneal abrasions are painful scrapes on the outside of the eye, or the cornea. Most corneal abrasions eventually heal on their

own, but a doctor can best assess the extent of the abrasion, and may prescribe medication to help control the pain. The most common cause of a sports-related corneal abrasion is being poked in the eye by a finger.

- ◆ Penetrating injuries: Penetrating injuries are caused by a foreign object piercing the eye. Penetrating injuries are very serious, and often result in severe damage to the eye. These injuries often occur when eyeglasses break while they are being worn. Penetrating injuries must be treated quickly in order to preserve vision.⁴
- Pain when looking up and/or down, or difficulty seeing;
- Tenderness;
- Sunken eye;
- Double vision;
- Severe eyelid and facial swelling;
- Difficulty tracking;

Signs or Symptoms of an Eye Injury

- The eye has an unusual pupil size or shape;
- Blood in the clear part of the eye;
- Numbness of the upper cheek and gum; and/or
- Severe redness around the white part of the eye.

What to do if a Sports-Related Eye Injury Occurs

If a child sustains an eye injury, it is recommended that he/she receive immediate treatment from a licensed HCP (e.g., eye doctor) to reduce the risk of serious damage, including blindness. It is also recommended that the child, along with his/her parent or guardian, seek guidance from the HCP regarding the appropriate amount of time to wait before returning to sports competition or practice after sustaining an eye injury. The school nurse and the child's teachers should also be notified when a child sustains an eye injury. A parent or guardian should also provide the school nurse with a physician's note detailing the nature of the eye injury, any diagnosis, medical orders for

the return to school, as well as any prescription(s) and/or treatment(s) necessary to promote healing, and the safe resumption of normal activities, including sports and recreational activities.

According to the American Family Physician Journal, there are several guidelines that should be followed when students return to play after sustaining an eye injury. For

Return to Play and Sports

ed when students return to play after sustaining an eye injury. For example, students who have sustained significant ocular injury should receive a full examination and clearance by an ophthalmologist or optometrist. In addition,

students should not return to play until the period of time recommended by their HCP has elapsed. For more minor eye injuries, the athletic trainer may determine that

it is safe for a student to resume play based on the nature of the injury, and how the

student feels. No matter what degree of eye injury is sustained, it is recommended that students wear protective eyewear when returning to play and immediately report any concerns with their vision to their coach and/or the athletic trainer.

Additional information on eye safety can be found at http://isee.nei.nih.gov and http://www.nei.nih.gov/sports.



Please return this form to your coach.

I have read the Concussion Policy Acknowledgement Form, the Sudden Cardiac Death in Young Athletes Pamphlet, and the Sports-Related Eye Injuries pamphlet.

Signature of student-athlete & Date

Printed name of student-athlete

Signature of Parent/Guardian & Date

Printed name of Parent/Guardian